

Produktdatenblatt

Higo - L615A

Female cable connector



L615AM P 00 DC 1000

<https://higoconnector.digitaledoeners.be/de/e-bike-steckverbinder/l615amp00dc1000>



Spezifikationen

Electrical Parameters

| | |
|-----------------------------|-------------------|
| x_max_contact_resistance | ?10 |
| x_max_insulation_resistance | ?20 |
| x Rated current | 40 / 2 A |
| x Rated voltage | 48 V AC / 60 V DC |

General Characteristics

| | |
|-------------------------------|------------------------------------|
| x_cable_length | 1000 mm |
| x_color | Black |
| x_connector_diameter | 15 mm |
| x_connector_shape_detail | Plug |
| x_fitting_length | 77 mm |
| x_gender_detailed | Female |
| x_lower_temperature | -25 °C |
| x_mating_cycles | 200 Times |
| x_number_of_contacts_detailed | 6(2+4) |
| x_protection_degree | IP67 |
| x_remark | Other cable length/type on request |
| x_upper_temperature | 80 °C |

Produktdatenblatt

Higo - L615A

Female cable connector



x_wire_section

2 x 4,0 + 4 x 0,2

Produktdatenblatt

Higo - L615A

Female cable connector



Material

| | |
|-----------------------|------------------|
| x_contact_plating | Gold over Nickel |
| x_insulation_wire | PTFE |
| x_material_jacket | PVC |
| x_material_of_contact | Phosphor bronze |